

## OptiSystem Publication References

Below is a listing of scientific papers, technical journals, periodicals, and conference publications which reference the use of OptiSystem.

### 2010

- [ 1 ] O. Boukari, L. Hassine, H. Bouchriha and M. Ketata I; **Study of dynamic chirp in direct modulated DFB laser for C-OFDR application** . Optics Communications Volume 283, Issue 10, 15 May 2010, Pages 2214-2223.
- [ 2 ] Yang Zhou, Chaoqin Gan and Long Zhu; **Self-healing ring-based WDM-PON**. Optics Communications Volume 283, Issue 9, 1 May 2010, Pages 1732-1736.
- [ 3 ] Vítor Ribeiro, António Teixeira and Mário Lima; **Chromatic dispersion monitoring technique using optical asynchronous sampling and double sideband filtering** . Optical Fiber Technology Volume 16, Issue 2, March 2010, Pages 124-127.
- [ 4 ] Haiyun Xia, Chao Wang, Sébastien Blais, and Jianping Yao; **Ultrafast and Precise Interrogation of Fiber Bragg Grating Sensor Based on Wavelength-to-Time Mapping Incorporating Higher Order Dispersion**. Journal of Lightwave Technology, Vol. 28, Issue 3, pp. 254-261 (2010).
- [ 5 ] Selma Batti, Mourad Zghal, Nouredine Boudriga; **A New All-Optical Switching Node Including Virtual Memory and Synchronizer**. Journal of Networks, Vol 5, No 2 (2010), 165-179, Feb 2010.
- [ 6 ] V. Roncin, S. Lobo, M.-N. Ngo, L. Bramerie, A. O'Hare, and J.-C. Simon, **Patterning effects in all-optical clock recovery : Novel analysis using a clock remodulation technique**, Selected Topics in Quantum Electronics, IEEE Journal of, vol. Volume : 16 , Issue : 5, pp. Page(s) 1495 – 1502, 2010.

### 2009

- [ 1 ] Prashant P. Baveja, Drew N. Maywar, and Govind P. Agrawal; **Optimization of All-Optical 2R Regenerators Operating at 40 Gb/s: Role of Dispersion**. Journal of Lightwave Technology, vol. 27, no. 17, Sept. 1, 2009.
- [ 2 ] Tawfig Eltaif, Hossam M. H. Shalaby, Sahbudin Shaari, and Mohammad M. N. Hamarshah; **Performance enhancement of successive interference cancellation scheme based on spectral amplitude coding for optical code-division multiple-access systems using Hadamard codes**. Optical Engineering 48 (4), 045002 April 2009.
- [ 3 ] Hongwu Yang, Junqiang Sun\*, Qiuqiao Du; **All-optical frequency down-conversion based on cross-phase modulation in high nonlinearity dispersion-shifted fiber for WDM radio over fiber application**. *Optica Applicata*, Vol. 39, No. 1, 2009.
- [ 4 ] Jianxin Ma, L. Chen, Xiangjun Xin, J Yu, Chongxiu Yu, Z Dong and Qi Zhang; **Transmission of a 40 GHz optical millimeter wave generated by quadrupling a 10 GHz local oscillator via a Mach-Zehnder modulator**. Journal of Optics A: Pure and Applied Optics (June 2009), 11 (6), pg. 1-7.
- [ 5 ] Zaineb A. T. Al-Qazwini, Mohamad K. Abdullah, and Makhfudzah B. Mokhtar; **Measurements of stimulated-Raman-scattering-induced tilt in spectral-amplitude-coding optical code-division multiple-access systems**. Optical Engineering Vol. 48, 015001 (Jan. 8, 2009).
- [ 6 ] Baveja, P.P.; Maywar, D.N.; Agrawal, G.P.; **Scaling rules for optimizing 2R regenerators**. Lasers and Electro-Optics, 2009 and 2009 Conference on Quantum electronics and Laser Science Conference. CLEO/QELS 2009. 2-4 June 2009 Page(s): 1 – 2.
- [ 7 ] Gao Yan, Zhang Ruixia, Du Weifeng, and Cui Xiaorong; **Point-to-Point DWDM System Design and Simulation**. Proceedings of the 2009 International Symposium on Information Processing (ISIP'09). Huangshan, P. R. China, August 21-23, 2009, pp. 090-092. ISBN 978-952-5726-02-2.
- [ 8 ] Mohammad Syuhaimi Ab-Rahman; **Performance Improvement by Gain Optimization in CWDM Metropolitan Ring Network**. Australian Journal of Basic and Applied Sciences, 3(3): 1725-1733, 2009. ISSN 1991-8178.
- [ 9 ] Mohammad Syuhaimi Ab-Rahman, Siti Asma Che Aziz and Kasmiran Jumari; **Protection for an Immediate Split Structure of Tree-Based EPON Architecture-Ideal Condition Analysis**. American J. of Engineering and Applied Sciences 2 (2): 372-380, 2009. ISSN 1941-7020.
- [ 10 ] Mohammad Syuhaimi Ab-Rahman, Siti Asma Che Aziz, and Kasmiran Jumari; **Smart Drop Protection Scheme (SDPS) in EPON network**. IJCSNS International Journal of Computer Science and Network Security, VOL.9 No.3, March 2009.
- [ 11 ] Mohammad Syuhaimi Ab-Rahman, Namir M. Ali Abdul Amir & Siti Asma Che Aziz; **Analytical Analysis of Cascaded OXADM in Survivability Scheme for Tree-Based EPON-FTTH Immediate Split Architecture**. Australian Journal of Basic and Applied Sciences , 3(3): 2706-2715, 2009. ISSN 1991-8178.
- [ 12 ] Parekhan M. Jaff; **Characteristic of Discrete Raman Amplifier at Different Pump Configurations**. World Academy of Science, Engineering and Technology Volume 54, June 2009, ISSN: 2070-3724.
- [ 13 ] Hilal A. Fadhil, S.A. Aljunid, R.B. Ahmad; **Multi-rate transmissions on spectral amplitude coding optical code division multiple access system using random diagonal codes**. Optica Applicata, Vol. 39, No. 2, 2009.
- [ 14 ] Zhou Lei, Ning Jiping, Chen Cheng, Han Qun, Zhang Weiyi, Wang Juntao; **Analysis of a novel stimulated Brillouin scattering suppression mechanism through self phase modulation process in the high power short pulse fiber amplifier**. Journal of Optoelectronics and Biomedical Materials Volume 1, Issue 1, March 2009, p. 157-16.
- [ 15 ] Zsigmond, S.; Furukawa, H.; Wada, N.; **Scalability study of SOA based optical switch for optical packet networks**. International Conference on Photonics in Switching, 2009. PS '09. 15-19 Sept. 2009 Page(s):1 – 2.
- [ 16 ] Zsigmond, S.; Furukawa, H.; Wada, N.; Miyazaki, T.; **Scalability study of a prototype 640Gbit/s/port optical packet switch for network applications**. 35th European Conference on Optical Communication, 2009. ECOC '09. 20-24 Sept. 2009 Page(s):1 – 2.
- [ 17 ] Zsigmond, S.; Furukawa, H.; Wada, N.; Miyazaki, T.; **Modulation formats comparison in a prototype 640Gbit/s/port optical packet switching system**. 14th OptoElectronics and Communications Conference, 2009. OECC 2009. 13-17 July 2009 Page(s):1 – 2.
- [ 18 ] Aziz, S.; Ab-Rahman, M.S.; Hassan, S.R.; Jumari, K.; **Restoration scheme implementation in automatic protection unit for FTTH passive optical network**. International Conference on Electrical Engineering and Informatics, 2009. ICEEI '09. Volume 02, 5-7 Aug. 2009 Page(s):459 – 462.
- [ 19 ] Aziz, S.; Ab-Rahman, M.S.; Jumari, K.; **Restoration scheme issues in fiber to the home Ethernet passive optical network (FTTH-EPON)**. CITISIA 2009 Innovative Technologies in Intelligent Systems and Industrial Applications, 2009. 25-26 July 2009 Page(s):389 – 392.
- [ 20 ] Kodi, A.K.; Louri, A.; **Multidimensional and Reconfigurable Optical Interconnects for High-Performance Computing (HPC) Systems**. Journal of Lightwave Technology, Volume 27, Issue 21, Nov.1, 2009 Page(s):4634 – 4641.
- [ 21 ] Gryspolakis, N.; Chen, L.; **Using gain-clamping to mitigate gain transients in fibre optical parametric amplifiers**. Conference on Lasers and Electro-Optics, 2009 and 2009 Conference on Quantum electronics and Laser Science Conference. CLEO/QELS 2009. 2-4 June 2009 Page(s):1 – 2.

- [ 22 ] Gryspolakis, N.; Chen, L.R.; **All-optical gain-clamping in Fibre optical parametric amplifiers**. 14th OptoElectronics and Communications Conference, 2009. OECC 2009. 13-17 July 2009 Page(s):1 – 2.
- [ 23 ] Karasek, M.; Vojtech, J.; Radil, J.; **Estimation of non-linear effects and chromatic dispersion compensation on propagation of 100 Gb/s signals**. 11th International Conference on Transparent Optical Networks, 2009. ICTON '09. June 28 2009-July 2 2009 Page(s):1 – 4.

## **2008**

- [ 1 ] Yoshinari Awaji , Hideaki Furukawa, Naoya Wada, Eddie Kong, Peter Chan and Ray Man; **Burst-mode EDFA based on a mid-position gain flattening filter with an overpumping configuration for variable traffic conditions in a WDM environment**. Optical & Quantum Electronics; Apr2008, Vol. 40 Issue 5/6, p461-466. ISSN: 03068919.
- [ 2 ] Xiaogang Chen, Zonglong Wang and Deyi Chen; **Effects of Direct Current Bias-Drifting on Radio on Fiber Link**. International Journal of Infrared and Millimeter Waves. Volume 29, Number 4 / April, 2008. :424–431.
- [ 3 ] Mohammad Syuhaimi Ab-Rahman; **The Effect of First Pre-Amplifier Gain to the BER Performance in Restored Metro Ring Network**. IJCSNS International Journal of Computer Science and Network Security, Vol.8 No.12, December 2008.
- [ 4 ] Ghanshyam Singh, Tirtha Pratim Bhattacharjee, R. P. Yadav, and V. Janyani; **Design of Non-Blocking and Rearrangeable Modified Banyan Network with Electro-Optic MZI Switching Elements**. World Academy of Science, Engineering and Technology volume 43, July 2008, ISSN: 2070-3724.
- [ 5 ] R. K. Z. Sahbudin, M. K. Abdullah, M. D. A. Samad, M. A. Mahdi and M. Ismail. **Hybrid Subcarrier Multiplexed Spectral-Amplitude-Coding Optical CDMA System Performance for Point-to-Point Optical Transmissions**. CMU. J. Nat. Sci. (2008) Vol. 7(1).
- [ 6 ] Lihua Zhang; Yungang Du; Ying Xi; Jijun Li; Chunwang Zhao; **Gain characteristics of erbium doped fiber amplifier**. *Proceedings Vol. 7157*. 2008 International Conference on Optical Instruments and Technology: Advanced Sensor Technologies and Applications.
- [ 7 ] Hilal Adnan Fadhill, S. A. Aljunid and R. Badlishah Ahmed; **New code structure for spectral amplitude coding OCDMA system**. *IEICE Electronics Express* Vol. 5 (2008) , No. 20 pp.846-852.
- [ 8 ] Mohammad Syuhaimi Ab-Rahman, Muhd Fauzi Aminuddin Shazi Shaarani; **The Proposal of OCDMA Encoder Based on Optical Cross Add and Drop Multiplexer (OXADM) - Device Characteristic**. IJCSNS International Journal of Computer Science and Network Security, VOL.8 No.12, December 2008.
- [ 9 ] Parekhan M. Aljaff, and Banaz O. Rasheed. **Design Optimization for Efficient Erbium-Doped Fiber Amplifiers**. World Academy of Science, Engineering and Technology 46, 2008.
- [10] Prakoso, T.; Ngah, R.; Rahman, T.A.; **Active photonic antenna for wireless communications at 2.4 GHz**. IEEE International RF and Microwave Conference, 2008. RFM 2008, 2-4 Dec. 2008 Page(s):446 – 449.
- [ 11 ] Prakoso, T.; Ngah, R.; Rahman, T.A.; Mualif, M.A.; **5.8 GHz photonic antenna for point to point applications**. IEEE International RF and Microwave Conference, 2008. RFM 2008, 2-4 Dec. 2008 Page(s):131 – 134.
- [ 12 ] Prakoso, T.; Ngah, R.; Rahman, T.A.; **Representation of antenna in two-port network s-parameter**. IEEE International RF and Microwave Conference, 2008. RFM 2008, 2-4 Dec. 2008 Page(s):293 – 297.
- [ 13 ] Zuazola, I.J.G.; Elmighani, J.M.H.; Batchelor, J.C.; **UWB RoF system for in-vehicle applications**. 17th International Conference on Microwaves, Radar and Wireless Communications, 2008. MIKON 2008. 19-21 May 2008 Page(s):1 – 4.
- [ 14 ] Khalid, A.M.; Idrus, S.M.; Alifah, S.; **The feedforward linearization system of optical transmitter for Free space optical (FSO) link**. IEEE International RF and Microwave Conference, 2008. RFM 2008. 2-4 Dec. 2008 Page(s):515 – 519.
- [ 15 ] Othman, M.; Rejab, M.F.M.; Talib, R.; Cholan, N.A.; Abdullah, M.F.L.; Aljunid, S.A.; Abdullah, M.K.; **Comparison of detection techniques in optical CDMA access network for point to multipoint configuration**. International Conference on Electronic Design, 2008. ICED 2008. 1-3 Dec. 2008 Page(s):1 – 5.
- [ 16 ] Wu Pan et. al.; **Design and simulation of a novel phase-encoded OCDMA system**. Microwave and Millimeter Wave Technology, pp. 2006-2009. 2008.
- [ 17 ] O. Boukari et. al.; **Characterization of the chirp in semiconductor laser under modulation**. Materials Science and Engineering, pp. 671-675 . 2008.
- [ 18 ] Ab-Rahman; **Survivability Schemes in Optical Cross Add and Drop Multiplexer**. Advanced Communication Technology, pp. 2007-2012. 2008.
- [ 19 ] Ab-Rahman; **Optical Cross Add and Drop Multiplexer: An Analytical Approach**. Telecommunications, 2008 pp. 420-427. 2008.
- [ 20 ] Zuazola et. al.; **WIMAX antennas for Intelligent Transport System communications**. Antennas and Propagation Conference, 2008 pp. 133-136. 2008.
- [ 21 ] Yoshinari Awaji et. al.; **Burst-mode EDFA based on a mid-position gain flattening filter with an overpumping configuration for variable traffic conditions in a WDM environment**. Optical and Quantum Electronics, pp. 461-466. 2008.
- [ 22 ] Ab-Rahman et. al.; **The Hybrid Protection Scheme in Hybrid OADM/OXC/MUX**. Australian Journal of Basic and Applied Sciences, pp. 968-976. 2008.
- [ 23 ] Songnian Fu et. al.; **All-optical NRZ-DPSK clock recovery using linearly chirped fiber Bragg grating induced clock tone**. Optical Fiber Technology, pp. 222-226 . 2008.
- [ 24 ] Ab-Rahman et. al.; **Development of optical multifunctional switch**. Wireless and Optical Communications Networks, 2008 pp.1-7. 2008.
- [ 25 ] Ab-Rahman ; **The OSNR Study on Optical Cross Add and Drop Multiplexer (OXADM): With Limitation Highlight**.Telecommunications, 2008 pp. 413-419. 2008.
- [ 26 ] Ab-Rahman et. al.; **OXADMs: The Comparison with the Existing Device**. Modeling & Simulation, 2008 pp. 283-290. 2008.
- [ 27 ] Ab-Rahman et. al.; **OXADMs: The next generation of optical switching devices**. Wireless and Optical Communications Networks, 2008 pp.1-7. 2008.
- [ 28 ] Hua Zhang; **Dynamic end-to-end optimization for quality of transmission in reconfigurable transparent optical networks**. Optics Infobase, pp. 573-584. 2008.
- [ 29 ] Tsair-Chun Liang et. al.; **The L-band EDFA of high clamped gain and low noise figure implemented using fiber Bragg grating and double-pass method**. Optics Communications pp.1134 - 1139. 2008.
- [ 30 ] Jacklyn Andrew Alam; **Development of double carrier modulation**. Universiti Malaysia Perlis . 2008.

## **2000 - 2007**

- [ 1 ] Ken Tanizawa, and Akira Hirose; **Performance Analysis of Steepest Descent-Based Feedback Control of Tunable-Dispersion Compensator for Adaptive Dispersion Compensation in All-Optical Dynamic-Routing Networks**. Journal of Lightwave Technology, vol. 25, no. 4, April 2007.

- [ 2 ] Shuping Wang, Chi-Hao Cheng, Yangqing Lu, and Charles Wong; **Effect of an imperfect antireflection coating on a birefringent interleaver in an optical communications system.** Optical Engineering. Vol. 46, 095005 (Sep. 17, 2007).
- [ 3 ] Awaji, Y.; Furukawa, H.; Wada, N.; **Designing of EDFA with Inherently Low Transient Response for Optical Packet with Variable Condition of Traffic on WDM Environment.** Numerical Simulation of Optoelectronic Devices, 2007. NUSOD '07. International Conference on 24-28 Sept. 2007 Page(s):101 – 102.
- [ 4 ] Bing Long et. l.; **Analysis and Simulation on Spectral Phase-Encoded OCDMA System.** Microwave and Millimeter Wave Technology, 2007.
- [ 5 ] Liyana et. al.; **Development of point-to-point OCDMA system for metropolitan area network.** Universiti Malaysia Perlis . 2007.
- [ 6 ] Nikolaos Grysopolakis; **Response of fibre optic parametric amplifiers to channel add/drop in agile all-photonic networks.** Optical Communication, pp. 168-174. 2007.
- [ 7 ] Sierra, A et. al.; **Evaluation of Two Prevalent EPON Networks Using Simulation Methods.** Conference Paper, pp. 48-. 2006.
- [ 8 ] Pontes M.J. et. al.; **Numerical Routines for the Optimization of Pump Power and Wavelength in Distributed Raman Amplifiers.** Fiber & Integrated Optics, pp. 347-361. 2006.
- [ 9 ] Kartalopoulos, S.V.; **Modeling and simulation of an all-optical pattern correlator for optical communications.** Conference Paper, pp. 59-63. 2005.
- [ 10 ] Cüneyt Berkdemir et. al.; **The temperature dependent performance analysis of EDFAs pumped at 1480 nm: A more accurate propagation equation.** Optics Express, pp. 5179-5185. 2005.
- [ 11 ] Marcio Freitas et. al.; **New technique for simulation of optical fiber amplifiers control schemes in dynamic WDM systems.** Proceedings of SPIE, 2004.
- [ 12 ] Stamatios V. Karalopoulos; **Optical pattern detector and digital-to-analog converter for optical communications systems.** Proceedings of SPIE, pp. 2150-2155. 2004.
- [ 13 ] Antoniadis, N. et. al.; **Techno-economic value analysis of the role of banded amplification in evolving WDM metro network architectures.** Conference Paper, pp. 635-636. 2004.
- [ 14 ] Givigi, S et. al.; **Transient control in RFAs for multi-pumping environments by using a multi-objective optimization approach.** Conference Paper, 2004.
- [ 15 ] Antoniadis, N et. al.; **Transport metropolitan optical networking: evolving trends in the architecture design and computer modeling.** IEEE Journal of lightwave Technology, pp. 2653-2670. 2004.
- [ 16 ] Xu Wang et. al.; **Improvement of the coding performance of SSFBG en/decoder by apodization technique.** Microwave and Optical Technology Letter, pp. 247-250. 2004.
- [ 17 ] Chengxia Li et. al.; **Optimal design scheme for multiwavelength backward-pumped Raman amplifiers.** Proceedings of SPIE, pp. 341-344. 2004.
- [ 18 ] Marcio Freitas et. al.; **Transient control for cascaded EDFAs by using a multi-objective optimization approach.** Proceedings of SPIE, pp. 387-395. 2004.
- [ 19 ] Warren Koonts, et. al.; **Application of optical system simulation software in a fiber optic telecommunications program.** Proceedings of SPIE, pp. 705-712. 2004.
- [ 20 ] Marcio Freitas et. al.; **Transients control in Raman fiber amplifiers.** Proceedings of SPIE, pp. 424-434. 2004.
- [ 21 ] Tamer Coskun et. al.; **Fast estimation of dispersion and initial chirp penalties by using TRC parameters.** Proceedings of SPIE, pp. 91-96. 2003.
- [ 22 ] Tetsuya Kawanishi; **Numerical analysis of tunable delay-line with an SSB modulator.** 2003.
- [ 23 ] Tetsuya Kawanishi; **Wavelength domain switching using electro-optic single-sideband modulation.** 2003.
- [ 24 ] Tamer Coskun et. al.; **Automated optimization tools design Raman amplifiers.** WDM Solutions. 2003.
- [ 25 ] Ganesh, R.; **Design and optimization of EDFAs for simultaneous amplification of WDM signals in both C & L bands using fiber Bragg gratings.** Conference Paper, pp. 599-604. 2003.
- [ 26 ] Zhang Zaixuan et. al.; **Optical fiber Raman amplifier and distributed fiber Raman sensors.** Proceedings of SPIE, pp. 208-214. 2003.
- [ 27 ] Reznik, A.A. et.al. ; **L-band EDFA gain dependence on the return loss of the components in the amplifier input port.** Lasers and Electro-Optics Society 1999 12th Annual Meeting. LEOS '99. IEEE, pp. 494-495. 2002.
- [ 28 ] Sprengard, R et. al.; **New Ultra-Short Wideband Amplifying Erbium Doped Fiber.** Conference Paper, pp. 1-2. 2002.
- [ 29 ] Zhang Zaixuan et. al.; **Optimum design and experiment research of S-band hybrid dispersion compensation fiber Raman amplifier.** Proceedings of SPIE, pp. 363-367. 2002.
- [ 30 ] Zhang Zaixuan et. al.; **Optimum design and experimental research of negative-dispersion DCF discrete fiber Raman amplifier.** Proceedings of SPIE, pp. 644-648. 2002.
- [ 31 ] George N. Lawrence; **Advanced modeling helps design telecom systems.** Laser Focus World, 2001.
- [ 32 ] Eudes F. Woellner et. al.; **High-gain EDFA using ASE suppression: numerical simulation and experimental characterization.** Proceedings of SPIE, pp. 90-93. 2001.
- [ 33 ] Baraniecki, T.P. et. al.; **Comparison of laboratory measurements on an EDFA with simulation results obtained using EDFA-Design.** Conference Paper, pp. 308-311. 2001.
- [ 34 ] Kozak, M.M. et. al.; **Computer aided EDFA design, simulation and optimization.** Conference Paper, pp. 202-205. 2001.
- [ 35 ] Karasek, M et. al.; **Design of wideband hybrid amplifiers for local area networks.** IEEE Proceedings of Optoelectronics, pp. 150-155. 2001.
- [ 36 ] McLaughlin, A.J et. al.; **Design and development of a multi-gigabit WDM network for use in the aerospace environment.** Conference Paper, pp. 115-124. 2000.
- [ 37 ] Chris Barnard et. al.; **Modeling optimizes EDFA design.** WDM Solutions. 2000.
- [ 38 ] V. Roncin, S. Lobo, L. Bramerie, A. O'Hare, and J.-C. Simon, **System characterization of a passive 40 gb/s all optical clock recovery ahead of the receiver,** Opt. Express, vol. 15, no. 10, pp. 6003–6009, 2007